


PRODUCT SHEET

Date of issue: 23/02/22

PULI-SCRUB - ultra-microfiber and polypropylene mop with strap tape system and colour-coded tag



REF.	NOTES	WEIGHT (gr)	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m ³)	GROSS WEIGHT (kg)
000EPN02011		52	0,052	30	25	0,011	1,49
000EPN03011		83	0,083	40	25	0,015	2,26
000EPN03021		115	0,115	60	25	0,03	3,32

Ideal for scrubbing and wet mopping of non-slip floors and natural terracotta with medium degree of stubborn dirt

APPLICATIONS

Used with all mop holders with strap tape system for the cleaning of internal floors with medium-high degree of dirt.

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Reusable Ecolabel (EU) certified microfiber "flat" mop
Microfiber denier dTex ≤ 1 for an efficient water and chemical consumption



ECOLABEL CERTIFIED PRODUCT

Environmental label in compliance with UNI EN ISO 14024 that rewards the best eco friendly products, certifying their low environmental impact throughout their life cycle and qualifying them in the market

FEATURES

- Polypropylene fibers guarantee a better removal of the tough dirt, while microfiber holds the dirt and grants an easy and quick cleaning
- Thanks to a particular twisting process, this twisted yarn keeps its shape even after many washing cycles with low linting
- High absorbing capacity thanks to its composition
- Latex-free product



PRODUCT SHEET

Date of issue: 23/02/22

MATERIAL

CLEANING SIDE

Microfibre: 70%
 Microfibre composition: 71% Polyester - 29% Polyammide
 Microfibre Denier: 0,14
 Other fibers: 30%
 Fibre composition: 100% Polypropylene
 Fabric weight: 730 gr/sqm

SYSTEM

Strap tape in polyester

ABSORBENCY

A dry mop absorbs up to twice its own weight

COVERING POWER

The mop can cover about:
 30-35 m² in the 30 cm size
 40-45 m² in the 40 cm size
 45-50 m² in the 60 cm size

LIFE CYCLE

Can be washed max 400 cycles if washing instructions and warnings are followed

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
 We recommend the use of normal detergent for textiles, no fabric softener
 Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution
 We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS

-  SUGGESTED washing temperature: 60° C
-  MAX washing temperature: 95° C
-  Bleaching possible - Do not use chlorine or bleach
-  Mechanical drying at low temperature 50°C
-  No ironing
-  Do not dry clean

Do not use softener
 Use alkaline detergents with Ph < 11



PRODUCT SHEET

Date of issue: 23/02/22

RELATED PRODUCTS



Mop holder with strips 2,5 cm for strap tape system and with Lock System joint



Mop holder with strips 2,5 cm for strap tape system



Tool for 2.5 cm wide strap tape system profile mops with ErgoSwing joint



Aluminium mop holder with strap tape system strips



Aluminum mop holder with strips for strap tape system and Lock System joint



Aluminum mop holder with strips for strap tape system, with ErgoSwing joint


UNILAV SIDE GRIP - flat mop with 650ml bottle and holder with strap tapes

TOP-DOWN® - plastic bucket with plastic handle and hermetic cover

 Kit **ERGODROP** - tank handle 500 ml with aluminium mop holder 40 cm with strips for strap tape system with ErgoSwing fitting, bordered Skill-Fur microfiber mop and dosing jug

GENERAL PRODUCT SAFETY

The articles of our production do not require product certification, as they correspond to the definition given in the DL 115 of 17.03.95

DECLARATION OF CONFORMITY

All the articles we produce are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"