

PRODUCT SHEET

Date of issue: 04/12/21

TRIPOLO - microfiber, cotton and polyester mop, looped yarn, with backing for strap tape system



REF.	NOTES	WEIGHT (gr)	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
0000264A		80	0,08	40x10	25	0,015	2,19
0000265A		120	0,12	60x10	20	0,015	2,59

Ideal for any surface with medium-high dirt

APPLICATIONS

Suitable for cleaning all types of surfaces.
It can be used with the suitable plastic frame

ECO BOX



ECO-FRIENDLY PRODUCT

100% solar-powered textile production

FEATURES

- Innovative wet mopping system thanks to the combination of three different textile yarns: microfibre, cotton and polyester. The structure of these three yarns assures maximum results in cleaning.
- Thanks to its structure, microfibre multiplies the amount of yarns, which come in contact with the floor. Consequently the capacity to pick up dirt is much more higher than normal systems
- Cotton improves the mop absorbancy and increases the cleaning surface
- Polyester yarn makes the cloths slide on the floor
- The structure of these three yarns assures maximum results in cleaning
- Looped end yarn grants a longer life of the mop thanks to its special structure and avoids fraying and linting
- Support for strap tape system: it is an innovative unshrinkable material which is non-linting and does not fade keeping its characteristics unaltered
- Made in Italy
- Latex-free product

MATERIAL

Yarn: 70% polyester 30% cotton
Backing: backing for strap tape system

PRODUCT SHEET

Date of issue: 04/12/21

LIFE CYCLE

Washable max 250 cycles if washing instructions and warnings are respected


CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing


WASHING INSTRUCTIONS


 SUGGESTED washing temperature: 60° C

 MAX washing temperature: 95° C

 Bleaching possible - Do not use chlorine or bleach

 Drying-chamber


 No ironing

 Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS



Mop holder with strips 2,5 cm for strap tape system and with Lock System joint




Mop holder with strips 2,5 cm for strap tape system



Tool for 2.5 cm wide strap tape system profile mops with ErgoSwing joint



Aluminium mop holder with strap tape system strips



Aluminum mop holder with strips for strap tape system and Lock System joint



Aluminum mop holder with strips for strap tape system, with ErgoSwing joint



UNILAV SIDE GRIP - flat mop with 650ml bottle and holder with strap tapes



Kit **ERGODROP** - tank handle 500 ml with aluminium mop holder 40 cm with strips for strap tape system with ErgoSwing fitting, bordered Skill-Fur microfiber mop and dosing jug



TOP-DOWN® - plastic bucket with plastic handle and hermetic cover

PRODUCT SHEET

Date of issue: 04/12/21

GENERAL PRODUCT SAFETY

The articles of our production do not require product certification, as they correspond to the definition given in the DL 115 of 17.03.95

DECLARATION OF CONFORMITY

All the articles we produce are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"