FILMOP INTERNATIONAL

Company certifications:
ISO **9001**   ISO **14001**

Compliances:
In compliance with the **REACH** European legislation

Energy Autonomy:
Use of **clean solar energy**

PRODUCT SHEET

Date of issue: 04/08/22

Mop **SPEEDY** cotton, polyester backing, looped yarn inside and cut yarn outside, with flaps 2 holes

LATEX FREE

REF.	NOTES	WEIGHT (gr)	NET WEIGHT (kg)	SIZE (cm) ⌐ ⌐ ⌐	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
0CO8414/M	for 40 x 11 cm mop holders	140	0,14	40x13	25	0,028	3,93
0CO8420/M	for mop holders 50 x 13 cm	220	0,22	50x16	25	0,033	5,86

Ideal for any surface with medium dirt - Mops with colored borders available on request - Contact our offices for minimum quantity

APPLICATIONS

Mainly used for wet mopping in medium/high dirty floors (in hotels, houses, offices, hospitals, etc).
Ideal for cleaning corners and walls.

ECO BOX

ECO-FRIENDLY PRODUCT
100% solar-powered textile production

FEATURES

- Natural highly absorbing fiber that keeps dirt, releasing it only during the washing of the mop
- Two-hole flaps in order to grant a safer fixing of the mop to the mop holder
- Cut yarn outside to avoid yarn getting caught in any obstacle in the cleaning area
- Looped end yarn grants a longer life of the mop thanks to its special structure and avoids fraying and linting
- Made in Italy
- Latex-free product

MATERIAL

Yarn: 70% cotton, 30% polyester
Support: polyester
Flaps: polyurethane (for 40 cm size) - polyester (for 50 cm size)

LIFE CYCLE

Washable max 250 cycles if washing instructions and warnings are respected

FILMOP INTERNATIONAL SRL   Via dell'Artigianato, 10/11 - 35010 VILLA DEL CONTE (PD) - ITALY- Tel. +39 049 9325066 - Fax +39 049 9325317 - filmop@filmop.com   1/3

www.filmop.com

Company certifications:

TÜV SUD ISO **9001**   TÜV SUD ISO **14001**

Compliances:

In compliance with the **REACH** European legislation

Energy Autonomy:

Use of **clean solar energy**

PRODUCT SHEET

Date of issue: 04/08/22

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS

|	
60°	SUGGESTED washing temperature: 60° C
95°	MAX washing temperature: 95° C
△	Bleaching possible - Do not use chlorine or bleach
⊠	Drying-chamber
⌧	No ironing
⊗	Do not dry clean

Do not use softener
Use alkaline detergents with Ph < 11

RELATED PRODUCTS

SPEEDY MOP HOLDER® - foldable plastic mop holder

SPEEDY MOP HOLDER® - foldable plastic mop holder with Lock System fitting

SPEEDY MOP HOLDER® - plastic foldable mop holder with ErgoSwing fitting

PUNTO - plastic wringer with adjustable roll

DEEP - plastic side press wringer without bottom

PRODUCT VERSIONS

Mop **SPEEDY** cotton, polyester backing, looped yarn, with flaps 2 holes

FILMOP INTERNATIONAL SRL   Via dell'Artigianato, 10/11 - 35010 VILLA DEL CONTE (PD) - ITALY- Tel. +39 049 9325066 - Fax +39 049 9325317 - filmop@filmop.com   2/3

www.filmop.com

Company certifications:

ISO **9001**   ISO **14001**

Compliances:

In compliance with the **REACH** European legislation

Energy Autonomy:

Use of **clean solar energy**

PRODUCT SHEET

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition of Italian Legislative Decree 115 of 17.03.95.

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

FILMOP INTERNATIONAL SRL   Via dell'Artigianato, 10/11 - 35010 VILLA DEL CONTE (PD) - ITALY- Tel. +39 049 9325066 - Fax +39 049 9325317 - filmop@filmop.com   3/3

www.filmop.com