

vispa **35**



**Ideal for cleaning floors of small, very cluttered spaces
on surfaces smaller than 1,000 m²**



Vispa 35 E
Scrubbing version
with disc brush



Vispa 35 B
Scrubbing version
with disc brush



Vispa 35 BS
Scrubbing-sweeping version
with cylindrical brushes

The solution that replaces manual floor cleaning methods



VS.



The solution that replaces manual floor cleaning methods

VISPA

- Brush pressure: 20 Kg constant
- Productivity: 1050 m²/h
- Solution: always clean
- Action: scrubs and dries at the same time, the floor is immediately clean and dry
- Operator effort: none

VS.

MANUAL METHOD

- Pressure: weight 2 Kg + operator's push 5 Kg (not constant)
- Productivity: 180 m²/h*
- Solution: clean at start, then increasingly dirty
- Action: it scrubs only, it is necessary to wait for the floor to dry
- Operator effort: considerable

IDEAL FOR CLEANING SMALL SURFACES



- Simple and comfortable to use
- Easy to carry
- Cleans in small and cluttered spaces
- Ensures optimal cleaning results
- Extremely simple maintenance
- Compact dimensions
- Cleans in any direction without movement limits thanks to the parabolic squeegee
- Increases the level of surface hygiene
- Guarantees the drying of the floor in a few seconds

EXTREMELY COMPACT

Handlebar has 180° flexibility.

This mechanism becomes fundamental for:

- easily clean corners without having to perform complex manoeuvres
 - fold up the handlebar and facilitate its transportability
 - easily clean under tables



SIMPLE, COMFORTABLE AND SAFE

- Controls are obvious in their use and self-explanatory
 - Deadman switch to ensure the utmost safety
 - Brush coupling control
 - Adjustable position



EASY TO USE

Thanks to its flexible handlebar,
adjustable in any position,
operating the machine is
extremely simple





EASY TO USE

Automatic brush
coupling and uncoupling*

For automatic brush coupling and
release, just apply a light impulse to
the safety switch that is fitted on the
handlebar

EASY TO TRANSPORT



Large diameter wheels to facilitate transport, to guarantee a stable position and to make movements smooth

CLEANS UNDER TABLES

Thanks to the design of the solution tank with a very low barycentre, can scrub also under shelves and modules at 38 cm* from the floor

* 35cm for Vispa 35 BS

CLEANS ALONG WALLS



Vispa is ideal for accurate cleaning of room corners and to operate in congested areas thanks to its handlebar which ensures 180° flexibility and to its compact size that is shaped around the brush head

OPTIMAL RESULTS

Perfect scrubbing and drying also on
bends without having to keep
on a straight track



OPTIMAL RESULTS



Perfectly cleans in small and cluttered spaces,
along walls and around corners

OPTIMAL RESULTS

Thanks to the combined action of the suction motor and the squeegee swinging around the brush, perfect drying is ensured and dirt is completely collected



PARABOLIC SQUEEGEE

Vispa 35 E-B guarantees perfect drying even on bends thanks to the parabolic squeegee movement around the brush

Rotation of the parabolic squeegee



Standard position of the parabolic squeegee



Rotation in the other direction of the parabolic squeegee



PARABOLIC SQUEEGEE

Despite being a cylindrical model, Vispa 35 BS maintains the prerogative of the squeegee which moves in rotation against the washing unit to completely cover the washed track

Rotation of the parabolic squeegee



Standard position of the parabolic squeegee



Rotation in the other direction of the parabolic squeegee



VISPA 35 B – EASY MAINTENANCE



Tanks are easy to remove,
simple to empty
and easy to clean

VISPA 35 E



The electric version
allows for maximum working
autonomy*

*cable to be purchased separately

VISPA 35 E – EASY MAINTENANCE



Tanks are easy to remove,
simple to empty
and easy to clean

VISPA 35 BS


Scrubs, sweeps and dries



VISPA 35 BS

The front squeegee ensures drying even when reversing

The two squeegees are controlled by two separate levers and can operate individually



VISPA 35 BS



The vertical downward movement minimizes the front dimensions of the machine, making it possible to get very close to the wall

Technical solutions allow also this model equipped with two counter-rotating brushes to minimize the spaces along walls

The maximum accessibility to the faucet-solenoid valve group has been maintained both for adjusting the water flow and for maintenance operations

VISPA 35 BS

The small wheels placed behind the battery compartment help the operator to move the machine, and in some cases to overcome obstacles (steps, sidewalks, etc.)



VISPA 35 BS - MAINTENANCE



The 1.5 liter debris hopper can be easily removed and emptied

Vispa: an answer to your needs



Health



Retail



Ho.Re.Ca.



Automotive



Large-Scale
Retail Trade



Public



Cleaning
Companies



Handicraft



Sports



Transports

Vispa' standard equipment

	Vispa 35 E	Vispa 35 B	Vispa 35 BS
COMFORT			
Ergonomic handle	•	•	•
Rotating parabolic squeegee	•	•	•
Oil resistant squeegee blades	•	•	•
SAFETY			
Antiskid wheels	•	•	•
Stop & Go	•	•	•

Vispa in numbers

TECHNICAL DATA		Vispa 35 E	Vispa 35 B	Vispa 35 BS
Solution tank	l	8	10	10
Recovery tank	l	10	10	10
Debris hopper capacity	l	-	-	1,5
Voltage and nominal power	V/W	220-230/540	12/500	12/500
Working width	mm	350	350	335
Squeegee width	mm	440	440	525
Working capacity up to	m ² /h	1050	1050	1010
Brush Ø	(n.) mm	(1) 350	(1) 350	(2) 110/335 – 330
Brush pressure	Kg	17,7	20	14,5
Brush motor	V/W	220-230/320	12/250	12/250
Brush revolutions	rev/min	140	140	450
Vacuum motor	V/W	36/150	12/250	12/250
Traction	-	Semi aut.	Semi aut.	Semi aut.
Forward speed	Km/h	3	3	3
Max gradient at full load	%	2	2	2
Batteries (n.)	V/Ah C5	-	12/65 (1)	12/65 (1)
Machine dimensions (L x h x l)	mm	620 x 1050 x 440	682 x 1018 x 440	718 x 1105 x 460
Machine weight (with battery)	Kg	35	67	67

Comac Copyright

Ownership of the information and/or documents:

All information (by which we mean all data and information with the sole exception of that of common knowledge or which COMAC has disclosed without reserve) and all documents (drawings, photos, etc.) are the exclusive property of COMAC and their use does not mean there is any kind of acquisition of titles, property or exploitation of rights or licences except for the limited permission of use ruled by this document.

By way of example and, therefore, not limited to, such information and/or documents can be the following:

Marketing section:

high definition digital images for the implementation of commercial catalogues on paper or web sites, company trademarks, original graphical documents from which texts are taken (e.g. the descriptive notes), PDF documents and original documents in .ppt format.

Professional use of the data:

It is a known fact that the information and/or documents, subject of this commitment, are and will be used by the beneficiary exclusively for carrying out his professional business and, therefore, no specific laws regarding consumer protection are applicable.

Confidentiality:

The Party that benefits from the information or use of documents taken from or, in any case, part of the commercial documentation, shall use all such information and/or documents with maximum care solely for the purposes connected to execution of this contract with COMAC and shall:

keep such information and/or documents confidential except for those, due to their nature, which are to be disclosed (promo-advertising material etc.);

shall not divulge any information and/or document to its suppliers, collaborators or employees beyond what is strictly necessary so that they may fulfil their tasks concerning relations with COMAC and shall ensure that the suppliers, collaborators and employees that have access to the information and/or documents are, in turn, bound by a confidentiality commitment to the benefit of COMAC; shall not divulge any information to third parties without the prior written consent by COMAC; copy and/or in any other way reproduce any information or document without the prior written consent of COMAC; take all the necessary measures to protect confidentiality.

Returning information and/or documents:

Whilst maintaining exclusive ownership at all times, COMAC has the right, at any time, to ask in writing or by e-mail, that all the information and/or documents received be returned or no longer used and within the term of thirty days from receipt of this request, all the information and/or documents must be returned, including any copies, or destroy such information and/or documents and relative copies so as to prevent them from being recovered and COMAC must be given a written declaration certifying that the information and/or documents have all either been returned or destroyed.

This obligation to return, destroy or no longer use is set automatically in motion when the relationship is cancelled with COMAC for any reason whatsoever.

Applicable law, cancelling clauses and Court having jurisdiction:

The interpretation, integration, execution and the effects of this commitment will be governed by Italian law.

If one or more points of this agreement are cancelled it does not invalidate the remaining points.

All disputes will be put to the exclusive jurisdiction of the Verona Courts.